

Introduction to Machine Learning & Deep Learning - Part 2

Sorbonne Université – Master DAC- Master M2A. Patrick Gallinari

patrick.gallinari@sorbonne-universite.fr,

<https://pages.isir.upmc.fr/gallinari>

Year 2024-2025

Kernels etc.

Kernels
Gaussian Processes
Neural Processes

Kernel Methods – a brief introduction

Introducing kernels

- ▶ The concept of kernels is important in machine learning
- ▶ It allows to derive general families of ML methods
 - ▶ Applicable to generic ML problems: supervised, unsupervised, ranking, ..
 - ▶ That can be used on different types of data (vectors, strings, graphs, ...)
- ▶ It provides a general framework for the formal analysis of complex algorithms
 - ▶ e.g. NN in the infinite limit (infinite number of hidden cells) can be modeled and then analyzed as kernel methods
- ▶ Kernels have been one of the main ML paradigm for 1995-2005.
 - ▶ The concept allows to make use and to formalize several important ideas concerning e.g. optimization (convex optimization), generalization
 - ▶ Kernel methods are not well adapted to high dimensional spaces and large datasets, they failed in this sense but remain an important concept in ML

Intuition (1) – kernels as similarity measures

- ▶ Kernel exploit similarity measures between data representations
 - ▶ Expressed as dot products in a feature space
 - ▶ **Feature space** - Let X be a set (e.g. the set of objects to be classified), we will represent these objects in a **feature space** \mathcal{H} , which is a **vector space equipped with a dot product**.
 - ▶ For that we will use a map Φ :
$$\Phi: X \rightarrow \mathcal{H}$$
$$x \mapsto \Phi(x)$$
 - ▶ **Similarity measure** - we define a similarity measure via the dot product in \mathcal{H} :
 - ▶ $K(x, x') = \langle \Phi(x), \Phi(x') \rangle$
 - ▶ In the following, $K(\cdot, \cdot)$ will be called a **kernel**
 - ▶ Note: X can be any set, and not only a subset of \mathbb{R}^n
 - i.e. it may be endowed with a dot product itself or not, e.g. think of X as a set of books or proteins
 - Even when $X \subset \mathbb{R}^n$, i.e. a dot product space, the mapping Φ will allow us to define more complex (non linear) representations of $x \in X$

Intuition (2) – machine learning algorithms and dot products

- ▶ Several machine learning algorithms can be expressed using dot products in a feature space
 - ▶ We introduce two simple examples
 - ▶ Perceptron
 - ▶ Linear regression
 - ▶ This idea can be generalized to many families of supervised and unsupervised methods

Intuition (2) – machine learning algorithms and dot products

Example 1: Perceptron dual formulation for binary classification

Training set $D = \{(\mathbf{x}^1, y^1), \dots, (\mathbf{x}^N, y^N)\}$, $\mathbf{x}^i \in \mathbb{R}^n$, $y^i \in \{-1, 1\}$, hyp: the classes are linearly separables

<p>Perceptron – primal formulation</p> <p>Initialize $\mathbf{w}(0) = \mathbf{0}$</p> <p>Repeat (t)</p> <ul style="list-style-type: none">choose example, $(\mathbf{x}(t), y(t))$if $y(t)\mathbf{w}(t) \cdot \mathbf{x}(t) \leq 0$then $\mathbf{w}(t+1) = \mathbf{w}(t) + y(t)\mathbf{x}(t)$ <p>until convergence</p>	<p>Decision function- primal</p> $F(\mathbf{x}) = \text{sgn}\left(\sum_{j=0}^n w_j x_j\right),$ $\mathbf{w} = \sum_{i=1}^N \alpha_i y^i \mathbf{x}^i$ <p>α_i : number of times for which the algorithm made a classification error on \mathbf{x}^i</p>
<p>Perceptron – dual formulation</p> <p>Initialize $\alpha = \mathbf{0}$, $\alpha \in \mathbb{R}^N$</p> <p>Repeat (t)</p> <ul style="list-style-type: none">choose an example, $(\mathbf{x}(t), y(t))$let $k: \mathbf{x}(t) = \mathbf{x}^k$if $y(t) \sum_{i=1}^N \alpha_i y^i \mathbf{x}^i \cdot \mathbf{x}(t) \leq 0$then $\alpha_k = \alpha_k + 1$ <p>until convergence</p>	<p>Decision function - dual</p> $F(\mathbf{x}) = \text{sgn}\left(\sum_{i=1}^N \alpha_i y^i \mathbf{x}^i \cdot \mathbf{x}\right)$ <p>Gram matrix \mathbf{K} :</p> <p>matrix $N \times N$ with term i, j : $\mathbf{K}_{ij} = \mathbf{x}^i \cdot \mathbf{x}^j$</p> <p>similarity matrix between the training data</p>

Intuition (2) – machine learning algorithms and dot products

Example 1: Perceptron dual formulation for binary classification

▶ In the dual formulation of the Perceptron

- ▶ The decision function writes as $F(x) = \text{sgn}(\sum_{i=1}^N \alpha_i y^i \mathbf{K}(x^i, x))$
- ▶ With the kernel $\mathbf{K}(x^i, x) = \langle x^i, x \rangle$, i.e. the kernel is computed directly in the input domain
 - ▶ What if we make use of another similarity function $\mathbf{K}(x^i, x)$ instead of the canonical dot product?
- ▶ The α_i s can be considered as a dual representation of the hyperplane normal vector, in place of the w_j s

Intuition (2) – machine learning algorithms and dot products

Example 2: dual formulation for regression

- ▶ Training examples
 - ▶ $D = \{(x^1, y^1), \dots, (x^N, y^N)\}$, we denote $X = \{x^1, \dots, x^N\}$
- ▶ Let us consider a linear model for regression
 - ▶ $f(x) = w \cdot x$
 - ▶ Let $x^\perp \in X^\perp$, with X^\perp the orthogonal set of X
 - ▶ $(w + x^\perp) \cdot x^i = w \cdot x^i, \forall x^i \in X$
 - ▶ Adding to w a component outside the space generated by X , has no effect on the linear regression prediction for all the **data in the training set**
 - ▶ If the training criterion only depends on the regression performed on the training data, as is usually the case, it is not needed to consider components of w outside the space generated by X
 - ▶ w can thus be written under the form
 - ▶ $w = \sum_{i=1}^N \alpha_i x^i$
 - ▶ The parameters $\alpha_i, i = 1 \dots N$ are called dual parameters
 - ▶ The regression function can then be directly written under a dual form using dot product:
 - ▶ $f(x) = \sum_{i=1}^N \alpha_i \langle x^i, x \rangle$

Intuition (2) – machine learning algorithms and dot products

Example 2: dual formulation for regression

- ▶ What if we make use of another similarity function $K(\mathbf{x}^i, \mathbf{x})$ instead of the canonical dot product?
 - ▶ More generally, let us consider a regression defined through the mapping $\phi(\mathbf{x})$:
 - ▶ $f(\mathbf{x}) = \mathbf{w} \cdot \phi(\mathbf{x})$
 - ▶ The solution will be in the space spanned by $\{\phi(\mathbf{x}^1), \dots, \phi(\mathbf{x}^N)\}$
 - ▶ $\mathbf{w} = \sum_{i=1}^N \alpha_i \phi(\mathbf{x}^i)$
 - ▶ $f(\mathbf{x}) = \sum_{i=1}^N \alpha_i \langle \phi(\mathbf{x}^i), \phi(\mathbf{x}) \rangle = \sum_{i=1}^N \alpha_i K(\mathbf{x}^i, \mathbf{x})$
 - ▶ $K(\mathbf{x}^i, \mathbf{x}^j) = \langle \phi(\mathbf{x}^i), \phi(\mathbf{x}^j) \rangle = K_{ij}$
 - ▶ $\mathbf{K} = [K_{ij}]$ is the Gram matrix

Intuition – Summary

- ▶ Linear ML methods have a dual representation and can be formulated using dot products in a vector space

- ▶ Examples: adaline, regression, ridge regression, etc
- ▶ The information on the training data is provided by the Gram matrix K :

$$K = (K_{ij})_{i,j=1\dots N} = (K(x^i, x^j))_{i,j=1\dots N}$$

- ▶ With

$$K(x, x') = \langle \Phi(x), \Phi(x') \rangle$$

$$\Phi: X \rightarrow \mathcal{H}$$

$$x \mapsto \Phi(x)$$

- ▶ Such a function $K(.,.)$ defined by a dot product in a feature space will be called a **kernel**
- ▶ For supervised problems, the decision/ regression function $F(x)$ writes as a **linear combination of scalar products**:

$$F(x) = \sum_{i=1}^N \alpha_i K(x^i, x)$$

Kernels

- ▶ After this informal introduction, we will introduce some formal arguments for characterizing kernels that admit a dot product representation in a feature space
- ▶ We first introduce some examples motivating the usefulness of kernels
- ▶ We then address the following question:
 - ▶ What kind of function $K(x, x')$ admits a representation as a dot product in a feature space $K(x, x') = \langle \Phi(x), \Phi(x') \rangle$

Definitions

▶ Gram matrix

- ▶ Given a function $K: X \times X \rightarrow \mathbb{R}$, and a dataset $X = \{x^1, \dots, x^N\}$, the $N \times N$ matrix with element $K_{ij} = K(x^i, x^j)$ is called the Gram matrix of K with respect to X

▶ Positive semi-definite matrix

- ▶ A symmetric matrix \mathbf{K} is positive semi-definite if its eigenvalues are all non negative – or equivalently if $x^T \mathbf{K} x > 0 \forall x \in X$

Positive definite kernels

- ▶ A **positive definite kernel** on set X , is a function $K: X \times X \rightarrow \mathbb{R}$
 - ▶ that is symmetric:

$$K(x, x') = K(x', x)$$

- ▶ Which satisfies, $\forall N \in \mathbb{N}, \forall (x^1, \dots, x^N) \in X^N$ and $\forall (a_1, \dots, a_N) \in \mathbb{R}^N$:

$$\sum_{i=1}^N \sum_{j=1}^N a_i a_j K(x^i, x^j) \geq 0$$

- ▶ **Note:**
 - ▶ this is the general definition of a positive definite function
 - ▶ Positive definiteness allows an easy characterization of kernels
- ▶ **Alternative definition with the similarity matrix of a p.d. kernel**
 - ▶ A kernel K is p.d. if and only if, $\forall N \in \mathbb{N}, \forall (x^1, \dots, x^N) \in X^N$, the similarity matrix $K_{ij} = K(x^i, x^j)$ is **positive semi-definite**
 - ▶ Note: this should be true $\forall N \in \mathbb{N}$

Examples of p.d. kernels

▶ Linear kernel

- ▶ Let $X = \mathbb{R}^n$, the function $K: X^2 \rightarrow \mathbb{R}$:

$$(x, x') \rightarrow K(x, x') = \langle x, x' \rangle_{\mathbb{R}^n}$$

is a p.d. kernel

Proof

- ▶ $\langle x, x' \rangle_{\mathbb{R}^n} = \langle x', x \rangle_{\mathbb{R}^n}$
- ▶ $\sum_{i=1}^N \sum_{j=1}^N a_i a_j \langle x^i, x^j \rangle_{\mathbb{R}^n} = \left\| \sum_{i=1}^N a_i x^i \right\|_{\mathbb{R}^n}^2 \geq 0$

More general kernels

▶ More generally: kernels as dot product in an inner product space

▶ Lemma

▶ Let X be any set, $\Phi: X \rightarrow \mathbb{R}^n$, the function $K: X^2 \rightarrow \mathbb{R}$:
 $(x, x') \rightarrow K(x, x') = \langle \Phi(x), \Phi(x') \rangle_{\mathbb{R}^n}$

is a p.d. kernel

Proof: same as above

$$\begin{aligned} \langle \Phi(x), \Phi(x') \rangle_{\mathbb{R}^n} &= \langle \Phi(x'), \Phi(x) \rangle_{\mathbb{R}^n} \\ \sum_{i=1}^N \sum_{j=1}^N a_i a_j \langle \Phi(x^i), \Phi(x^j) \rangle_{\mathbb{R}^n} &= \left\| \sum_{i=1}^N a_i \Phi(x^i) \right\|_{\mathbb{R}^n}^2 \geq 0 \end{aligned}$$

More general kernels

Example: Polynomial Kernel

- ▶ Consider a 2 dimensional input space $X \subset \mathbb{R}^2$ and
- ▶ $\Phi: \mathbb{R}^2 \rightarrow \mathbb{R}^3$, $\Phi(x) = \Phi(x_1, x_2) = (x_1^2, x_2^2, \sqrt{2}x_1 x_2)$
 - $K(x, x') = \langle \Phi(x), \Phi(x') \rangle_{\mathbb{R}^3}$
 - $K(x, x') = x_1^2 x_1'^2 + 2x_1 x_2 x_1' x_2' + x_2^2 x_2'^2$
 - $K(x, x') = \langle x, x' \rangle_{\mathbb{R}^2}^2$
- ▶ **Note:**
 - ▶ $K(x, x') = \langle \Phi(x), \Phi(x') \rangle$ can be computed directly as $\langle x, x' \rangle_{\mathbb{R}^2}^2$ without explicitly evaluating their coordinate in the feature space
 - ▶ Cheaper to compute in the original space than in the feature space
 - ▶ The same kernel is obtained with $\Phi(x_1, x_2) = (x_1^2, x_2^2, x_1 x_2, x_2 x_1)$ and a dot product in \mathbb{R}^4
 - ▶ Shows that the feature space is not uniquely determined by the kernel function

Example: Polynomial Kernel




Figure 2.1 Toy example of a binary classification problem mapped into feature space. We assume that the true decision boundary is an ellipse in input space (left panel). The task of the learning process is to estimate this boundary based on empirical data consisting of training points in both classes (crosses and circles, respectively). When mapped into feature space via the nonlinear map $\Phi_2(x) = (z_1, z_2, z_3) = ([x]_1^2, [x]_2^2, \sqrt{2} [x]_1[x]_2)$ (right panel), the ellipse becomes a hyperplane (in the present simple case, it is parallel to the z_3 axis, hence all points are plotted in the (z_1, z_2) plane). This is due to the fact that ellipses can be written as linear equations in the entries of (z_1, z_2, z_3) . Therefore, in feature space, the problem reduces to that of estimating a hyperplane from the mapped data points. Note that via the polynomial kernel (see (2.12) and (2.13)), the dot product in the three-dimensional space can be computed without computing Φ_2 . Later in the book, we shall describe algorithms for constructing hyperplanes which are based on dot products (Chapter 7).

Scholkopf et al.
2002

Characterization of kernels

- ▶ Up to now kernels have been characterized by explicitly defining a mapping in a feature space and then computing an inner product in this space
- ▶ We will introduce an alternative characterization of a kernel
 - ▶ It is one of the main theoretical tools to characterize kernels
 - ▶ Without explicitly defining the feature space (i.e. Φ)

Characterization of kernels

Definitions and properties

▶ Inner product

- ▶ Let \mathcal{H} a vector space over \mathbb{R} , a function $\langle \cdot, \cdot \rangle_{\mathcal{H}}$ is said to be an inner product on \mathcal{H} if
 - ▶ $\langle \alpha_1 f_1 + \alpha_2 f_2, g \rangle_{\mathcal{H}} = \alpha_1 \langle f_1, g \rangle_{\mathcal{H}} + \alpha_2 \langle f_2, g \rangle_{\mathcal{H}}$ linear (bilinear)
 - ▶ $\langle f, g \rangle_{\mathcal{H}} = \langle g, f \rangle_{\mathcal{H}}$ symmetric
 - ▶ $\langle f, f \rangle_{\mathcal{H}} \geq 0$ and $\langle f, f \rangle_{\mathcal{H}} = 0$ iff $f = 0$
 - ▶ We can then define a norm on \mathcal{H} as $\|f\|_{\mathcal{H}} = \sqrt{\langle f, f \rangle_{\mathcal{H}}}$
- ▶ \mathcal{H} endowed with an inner product is an **inner product space**

▶ Hilbert space

- ▶ Is an inner product space \mathcal{H} with the additional properties that it is separable and complete i.e. any Cauchy sequence in \mathcal{H} converges in \mathcal{H}
 - ▶ A Cauchy sequence (f_n) is a sequence whose elements become progressively arbitray close to each other

$$\lim_{m>n, n \rightarrow \infty} \|f_n - f_m\|_{\mathcal{H}} = 0$$

- ▶ \mathcal{H} is separable if for any $\epsilon > 0$ there exists a finite set of elements of \mathcal{H} , $\{f_1, \dots, f_N\}$ such that for all $f \in \mathcal{H}$,

$$\min_i \|f_i - f\|_{\mathcal{H}} < \epsilon$$

Characterization of kernels

Definitions and properties

- ▶ Cauchy-Schwartz inequality for dot products

- ▶ In an inner product space

- ▶ $\langle x, x' \rangle^2 \leq \|x\|^2 \|x'\|^2$

- ▶ Cauchy-Schwartz inequality for kernels

- ▶ If K is a p.d. kernel and $x_1, x_2 \in X$, then:

- $|K(x^1, x^2)|^2 \leq K(x^1, x^1) \cdot K(x^2, x^2)$

Characterization of kernels

▶ Theorem

- ▶ $K: X \times X \rightarrow \mathbb{R}$ is a p.d. kernel on X if and only if there exists a Hilbert space \mathcal{H} and a mapping $\Phi: X \rightarrow \mathcal{H}$ such that:

$$\forall x, x' \in X, K(x, x') = \langle \Phi(x), \Phi(x') \rangle_{\mathcal{H}}$$

- ▶ Central result that establish a link between kernels defined as dot products in a feature vector space and positive definite functions
- ▶ In order to demonstrate this result, we explicitly construct the feature -Hilbert- space

Characterization of kernels

- ▶ Assumption: K is a p.d. kernel
- ▶ Objective: construct an appropriate Hilbert space and a mapping Φ
- ▶ Defining the mapping Φ

- ▶ Let us define $\Phi: X \rightarrow \mathbb{R}^X$, where $\mathbb{R}^X := \{f: X \rightarrow \mathbb{R}\}$ is the space of functions mapping X into \mathbb{R} as:

$$\Phi: X \rightarrow \mathbb{R}^X$$

$$x \mapsto K(\cdot, x)$$

$\Phi(x)$ denotes a function that assigns a value $K(x', x)$ to $x' \in X$, i.e. $\Phi(x)(\cdot) = K(\cdot, x)$

To each point x in the X space, one associates a function $\Phi(x) = K(\cdot, x)$

This function will be a point in a vector space

See Fig. next slide

Characterization of kernels




Figure 2.2 One instantiation of the feature map associated with a kernel is the map (2.21), which represents each pattern (in the picture, x or x') by a kernel-shaped *function* sitting on the pattern. In this sense, each pattern is represented by its similarity to *all* other patterns. In the picture, the kernel is assumed to be bell-shaped, e.g., a Gaussian $k(x, x') = \exp(-\|x - x'\|^2 / (2 \sigma^2))$. In the text, we describe the construction of a dot product $\langle \cdot, \cdot \rangle$ on the function space such that $k(x, x') = \langle \Phi(x), \Phi(x') \rangle$.

Fig, Scholkopf
et al. 2002

Characterization of kernels

- ▶ Construction of the feature space
- ▶ Let us consider the space of functions
- ▶ $\mathcal{H} = \left\{ \sum_{i=1}^m \alpha_i K(\cdot, x^i) : m \in \mathbb{N}, x^i \in X, \alpha_i \in \mathbb{R}, i = 1 \dots m \right\}$
 - ▶ Note: here $m \in \mathbb{N}, x^i \in X, \alpha_i \in \mathbb{R}$ are arbitrary,
 - ▶ \mathcal{H} is closed under multiplication by a scalar and addition of functions and is then a vector space
 - ▶ We define the dot product onto \mathcal{H} :
 - ▶ Let $f(\cdot) = \sum_{i=1}^l \alpha_i K(\cdot, x^i)$ $g(\cdot) = \sum_{j=1}^m \beta_j K(\cdot, x'^j)$
 - ▶ $\langle f, g \rangle = \sum_{i=1}^l \sum_{j=1}^m \alpha_i \beta_j K(x^i, x'^j) = \sum_{i=1}^l \alpha_i g(x^i) = \sum_{j=1}^m \beta_j f(x'^j)$
 - ▶ From these equalities, $\langle \cdot, \cdot \rangle$ is symmetric, bilinear
 - ▶ Since K is p.d. for any $f(\cdot) = \sum_{i=1}^l \alpha_i K(\cdot, x^i)$, one has:
$$\langle f, f \rangle = \sum_{i,j=1}^l \alpha_i \alpha_j K(x^i, x^j) \geq 0$$
 - ▶ Note: this means that $\langle \cdot, \cdot \rangle$ is itself a p.d. kernel on the space of functions

Characterization of kernels

- ▶ Reproducing property of the kernel
 - ▶ $\langle f, K(\cdot, x) \rangle = \sum_{i=1}^l \alpha_i K(x, x^i) = f(x)$
 - ▶ Particular case: $\langle K(\cdot, x), K(\cdot, x') \rangle = K(x, x')$ or $\langle \Phi(x), \Phi(x') \rangle = K(x, x')$
 - ▶ Using the reproducing property and Cauchy Schwartz:
 - ▶ $|f(x)|^2 = |\langle f, K(\cdot, x) \rangle|^2 \leq K(x, x) \cdot \langle f, f \rangle$
 - ▶ Then $\langle f, f \rangle = 0$ implies $f = 0$
 - ▶ This establishes that $\langle \cdot, \cdot \rangle$ is a dot product
 - ▶ It remains to show that space \mathcal{H} is also complete and separable
 - ▶ See e.g. (Shawe Taylor et al. 2004)
- ▶ Summary
 - ▶ Given a p.d. kernel K , one has built \mathcal{H} an associated Hilbert space in which the reproducing property holds, and a mapping Φ
 - ▶ \mathcal{H} is called the Reproducing Kernel Hilbert Space (RKHS) of K
 - ▶ We give the formal definition of a RKHS later

Characterization of kernels

- ▶ Conversely
- ▶ Given a mapping Φ from X to a dot product space, we can get a p.d. kernel via $k(x, x') = \langle \Phi(x), \Phi(x') \rangle$
- ▶ Proof
 - ▶ $\forall \alpha_i \in \mathbb{R}, x^i \in X, i = 1 \dots m$, we have
 - ▶ $\sum_{i,j} \alpha_i \alpha_j K(x^i, x^j) = \langle \sum_i \alpha_i \Phi(x^i), \sum_j \alpha_j \Phi(x^j) \rangle = \|\sum_i \alpha_i \Phi(x^i)\|^2 \geq 0$

Characterization of kernels

Summary

- ▶ **This characterization allows us**
 - ▶ to give an equivalent definition of p.d. kernels as functions with the property that there exists a map Φ into a dot product space such that
$$k(x, x') = \langle \Phi(x), \Phi(x') \rangle \text{ holds}$$
 - ▶ To construct kernels from feature maps
 - ▶ $k(x, x') = \langle \Phi(x), \Phi(x') \rangle$
- ▶ **It is at the base of the kernel trick**

Kernel Trick

- ▶ Given an algorithm which is formulated in terms of a p.d. kernel, K , one can construct an alternative algorithm by replacing K by another p.d. kernel K'
- ▶ Intuition
 - ▶ The original algorithm is a dot product based algorithm on vectors $\Phi(x^1), \dots, \Phi(x^m)$, when K is replaced by K' , the algorithm is the same but operates on $\Phi'(x^1), \dots, \Phi'(x^m)$
 - ▶ The best known application of the trick is when K is the dot product in the input domain. It can be replaced by another kernel, e.g. non linear. Most of the linear data analysis algorithms (PCA, ridge regression, etc) can then be automatically « kernalized ».
 - ▶ Any algorithm that process finite dimensional vectors that is expressed in terms of pairwise inner products, can be applied to infinite-dimensional vectors in the feature space of a p.d. kernel, by replacing each inner product by a kernel evaluation

Reproducing Kernel Hilbert Spaces - RKHS

- ▶ Let X be a non empty set and \mathcal{H} a Hilbert space of functions with inner product $\langle \cdot, \cdot \rangle$. Then \mathcal{H} is called a RKHS if there exists a function $K: X \times X \rightarrow \mathbb{R}$ with the following properties:
 - ▶ K has the reproducing property
 - ▶ $\langle f, K(x, \cdot) \rangle = f(x), \forall f \in \mathcal{H}$
 - ▶ In particular
 - ▶ $\langle K(x, \cdot), K(x', \cdot) \rangle = K(x, x')$
 - ▶ $\forall x \in X, K(x, \cdot) \in \mathcal{H}$
- ▶ K is called a reproducing kernel
- ▶ **Property**
 - ▶ The RKHS determines uniquely K and reciprocally
 - ▶ A function $K: X \times X \rightarrow \mathbb{R}$ is positive definite iff it is a reproducing kernel!

RKHS example – The linear kernel

▶ Let $X = \mathbb{R}^n$ and consider the linear kernel

▶ $K(x, x') = \langle x, x' \rangle_{\mathbb{R}^n}$

▶ The RKHS of the linear kernel is the set of linear functions:

$$\mathcal{H} = \{f_w(x) = \langle w, x \rangle_{\mathbb{R}^n}; w \in \mathbb{R}^n\}$$

▶ Inner product is defined as

$$\forall v, w \in \mathbb{R}^n, \langle f_v, f_w \rangle_{\mathcal{H}} = \langle v, w \rangle_{\mathbb{R}^n}$$

▶ The corresponding norm is

$$\forall w \in \mathbb{R}^n, \|f_w\|_{\mathcal{H}} = \|w\|_{\mathbb{R}^n}$$

Infinite dimensional feature space

▶ Lemma

- ▶ Let $D = \{x^1, \dots, x^N\}$ distinct points in X , and $\sigma \neq 0$. The matrix K given by $K_{ij} := \exp\left(-\frac{\|x^i - x^j\|^2}{2\sigma^2}\right)$ has full rank.
- ▶ This means that the points $\Phi(x^1), \dots, \Phi(x^N)$ are linearly independent (since $K = \Phi^T \Phi$ with Φ the matrix with column vectors the $\Phi(x^i)$).
- ▶ Then they span an N dimensional subspace of \mathcal{H} .
- ▶ Since this is true for all N , i.e. no restriction on the number of training examples, the feature space is then of **infinite dimension**

How to build new kernels

- ▶ Kernels can be built from combinations of known ones
- ▶ Let K_1, K_2 be kernels defined on a metric space X^2 , K_3 defined on the Hilbert space \mathcal{H} , the following combinations are kernels:
 - ▶ $K(x, z) = K_1(x, z) + K_2(x, z)$
 - ▶ $K(x, z) = K_1(x, z) \cdot K_2(x, z)$
 - ▶ $K(x, z) = aK_1(x, z)$
 - ▶ $K(x, z) = K_3(\phi(x), \phi(z))$
 - ▶

Gaussian process regression

Motivations

- ▶ Most ML algorithm for regression predict a mean value
- ▶ Gaussian processes are Bayesian methods that allow us to predict, not only a mean value, but a distribution over the output values
 - ▶ In regression, for each input value x , the predicted distribution is Gaussian and is then fully characterized by its mean and variance

Gaussian distributions refresher

- ▶ **Multivariate Gaussian distribution** $x \sim \mathcal{N}(\mu, \Sigma)$, $x \in \mathbb{R}^n$
 - ▶ $p(x) = \frac{1}{(2\pi)^{\frac{n}{2}} |\Sigma|^{1/2}} \exp\left(-\frac{1}{2} (x - \mu)^T \Sigma^{-1} (x - \mu)\right)$
- ▶ **Summation (a)**
 - ▶ Let x and y two random variables with the same dimensionality, $p(x) = \mathcal{N}(\mu_x, \Sigma_x)$ and $p(y) = \mathcal{N}(\mu_y, \Sigma_y)$
 - ▶ Then their sum is also Gaussian: $p(x + y) = \mathcal{N}(\mu_x + \mu_y, \Sigma_x + \Sigma_y)$
- ▶ **Marginalization (b)**
 - ▶ Let x , $p(x) = \mathcal{N}(\mu, \Sigma)$, consider a partition of x into two sets of variables $x = \begin{pmatrix} x_a \\ x_b \end{pmatrix}$.
 - ▶ Let us denote $\mu = \begin{pmatrix} \mu_a \\ \mu_b \end{pmatrix}$, $\Sigma = \begin{pmatrix} \Sigma_{aa} & \Sigma_{ab} \\ \Sigma_{ba} & \Sigma_{bb} \end{pmatrix}$
 - ▶ Then the marginals are also Gaussians, e.g.: $p(x_a) = \int_{x_b} p(x_a, x_b; \mu, \Sigma) dx_b = \mathcal{N}(\mu_a, \Sigma_{aa})$,
 - ▶ Σ being symmetric, $\Sigma_{ab} = \Sigma_{ba}$
- ▶ **Conditioning (c)**
 - ▶ The conditionals are also Gaussians
 - ▶ $p(x_a | x_b) = \mathcal{N}(\mu_{a|b}, \Sigma_{a|b})$ with $\mu_{a|b} = \mu_a + \Sigma_{ab} \Sigma_{bb}^{-1} (x_b - \mu_b)$ and $\Sigma_{a|b} = \Sigma_{aa} - \Sigma_{ab} \Sigma_{bb}^{-1} \Sigma_{ba}$
- ▶ **Marginalization bis (d)**
 - ▶ Let x and y two random vectors such that $p(x) = \mathcal{N}(\mu, \Sigma_x)$ and $p(y|x) = \mathcal{N}(Ax + b, \Sigma_y)$
 - ▶ The marginal of y is $p(y) = \int p(y|x)p(x)dx = \mathcal{N}(A\mu + b, \Sigma_y + A\Sigma_x A^T)$

Introducing the Gaussian processes

From Bayesian linear regression to Gaussian processes

- ▶ Consider the linear parameter model:
 - ▶ $y(\mathbf{x}) = \mathbf{w}^T \phi(\mathbf{x})$
 - ▶ where $\mathbf{w} \in R^M$, $\phi(\mathbf{x}) \in R^M$ are M fixed basis functions
 - ▶ For example, ϕ could be a linear function $\phi(\mathbf{x}) = (\mathbf{x}, 1)$ or ϕ could be a vector of gaussian kernels $\phi_i(x) = \exp\left(-\frac{(x-\mu_i)^2}{2s^2}\right)$, $i = 1, \dots, M$
- ▶ We consider a Bayesian setting
 - ▶ With \mathbf{w} following a prior distribution given by an isotropic Gaussian
 - ▶ $p(\mathbf{w}) = \mathcal{N}(\mathbf{0}, \alpha^{-1}I)$
 - α^{-1} is the precision parameter = the inverse variance
 - ▶ For any value of \mathbf{w} , $y(\mathbf{x}) = \mathbf{w}^T \phi(\mathbf{x})$ defines a specific function of \mathbf{x}
 - ▶ $p(\mathbf{w})$ thus defines a distribution over functions $y(\mathbf{x})$

Introducing the Gaussian processes

From Bayesian linear regression to Gaussian processes

- ▶ How to characterize the distribution over functions $y(\mathbf{x})$?
 - ▶ In practice, we will want to evaluate $y(\mathbf{x})$ at specific values x
 - ▶ e.g. at the training points or for a test point, lets do that:
 - ▶ Let us consider a finite data sample x^1, \dots, x^N
 - ▶ Let us denote $\mathbf{y} = (y^1, \dots, y^N)^T$, with $y^i = y(x^i)$
 - ▶ We want to characterize the distribution of \mathbf{y}
 - ▶ $\mathbf{y} = \Phi \mathbf{w}$, with $\Phi = [\phi(x^1), \dots, \phi(x^N)]^T$ called the **design matrix** $\Phi_{ij} = \phi_j(x^i)$
 - ▶ \mathbf{w} is $M \times 1$, Φ is $N \times M$, \mathbf{y} is $N \times 1$
 - ▶ \mathbf{y} being a linear combination of Gaussian variables (the elements of \mathbf{w}) is itself Gaussian and fully characterized by its mean and variance
 - ▶ $E[\mathbf{y}] = \Phi E[\mathbf{w}] = \mathbf{0}$
 - ▶ $Cov[\mathbf{y}] = E[\mathbf{y}\mathbf{y}^T] = \Phi E[\mathbf{w}\mathbf{w}^T] \Phi^T = \frac{1}{\alpha} \Phi \Phi^T = \mathbf{K}$
 - ▶ \mathbf{K} is a **Gram matrix** with elements $K_{nm} = k(x^n, x^m) = \frac{1}{\alpha} \phi(x^n)^T \phi(x^m)$
 - $k(x, x')$ is the **kernel function**
- $\mathbf{y} \sim \mathcal{N}(\mathbf{0}, \mathbf{K})$, \mathbf{y} is $N \times 1$, \mathbf{K} is $N \times N$
- ▶ This is a first example of Gaussian process, defined by a linear model
 - ▶ Usually, the kernel function is not defined through basis functions, but directly by specifying a Kernel function, e.g. a Gaussian kernel

Introducing the Gaussian processes

From Bayesian linear regression to Gaussian processes

- ▶ Samples of functions drawn from Gaussian processes for a « Gaussian Kernel »

- ▶ $k(x, x') = \exp\left(-\frac{\|x-x'\|^2}{2\sigma^2}\right)$


- ▶ We specify a set of input points $x = (x^1, \dots, x^N)$ in $[-1, 1]$ and an $N \times N$ covariance matrix K .

- ▶ We draw a vector (y^1, \dots, y^N) from the Gaussian defined by $\mathbf{y} = \mathcal{N}(\mathbf{0}, \mathbf{K})$

- ▶ The figure shows samples drawn from gaussian processes

- ▶ Each curve represents a sample of N points (y^1, \dots, y^N)

- ▶ Bishop C. PRML



Introducing the Gaussian processes

From Bayesian linear regression to Gaussian processes

- ▶ A stochastic process $y(\mathbf{x})$ is specified by the joint probability distribution for **any** finite set of values $\{y(\mathbf{x}^1), \dots, y(\mathbf{x}^N)\}$, i.e. any N
- ▶ The joint distribution over N variables y^1, \dots, y^N is specified completely by their mean and covariance

Gaussian processes

▶ Definition

- ▶ A stochastic process is a collection of random variables $\{f(x); x \in \mathcal{X}\}$ indexed by elements of set \mathcal{X} (in the following one will consider $\mathcal{X} = \mathbb{R}$).
 - ▶ This is a probability distribution over the functions $f(x)$
- ▶ A Gaussian process is a stochastic process such that the set of values of $f(x)$ evaluated at any number of points x^1, \dots, x^N is jointly Gaussian, i.e.:

- ▶
$$\begin{bmatrix} f(x^1) \\ \vdots \\ f(x^N) \end{bmatrix} \sim N \left(\begin{bmatrix} m(x^1) \\ \vdots \\ m(x^N) \end{bmatrix}, \begin{bmatrix} k(x^1, x^1) & \dots & k(x^1, x^m) \\ \vdots & \ddots & \vdots \\ k(x^m, x^1) & \dots & k(x^m, x^m) \end{bmatrix} \right)$$

▶ Properties

- ▶ A Gaussian process is entirely specified by its
 - ▶ Mean function $m(x) = E[f(x)]$
 - ▶ Covariance matrix, with covariance function $k(x, x') = E[(f(x) - m(x))(f(x') - m(x'))]$
- ▶ One denotes $f \sim GP(m, k)$ meaning that f is distributed as a GP with mean m and covariance k functions (components of the covariance matrix)

Gaussian processes

▶ Intuition

- ▶ Gaussian distributions model finite collections of real valued variables
- ▶ Gaussian processes extend multivariate gaussians to infinite collections of real-valued variables
 - ▶ GP are distributions over random functions
 - ▶ Let H be a class of functions $f: X \rightarrow Y$. A random function $f(\cdot)$ from H is a function which is randomly drawn from H
 - ▶ Intuitively, one can think of $f(\cdot)$ as an infinite vector drawn from an infinite multivariate Gaussian. Each dimension of the Gaussian corresponds to an element x from the index and the corresponding component of the random vector is the value $f(x)$


▶ What could be the functions $m(\cdot)$ and $k(\cdot, \cdot)$?

- ▶ Any real valued function $m(\cdot)$ is acceptable
- ▶ Matrix K , with components the $k(\cdot, \cdot)$, should be a valid covariance matrix corresponding to a Gaussian distribution
 - ▶ This is the case if K is positive semi-definite (remember conditions for valid kernels)
 - Any valid kernel can be used as a covariance function

Gaussian processes

▶ Example

- ▶ Zero mean Gaussian process $GP(0, k(\cdot, \cdot))$ defined for functions $h: X \subset R \rightarrow R$
- ▶ $k(x, x') = \exp(-\frac{\theta_1}{2} \|x - x'\|^2)$
- ▶ The function values are distributed around 0
- ▶ $f(x)$ and $f(x')$ will have a high covariance $k(x, x')$ if x and x' are nearby and a low covariance otherwise
 - ▶ i.e. they are locally smooth



Bishop PRML, Top $\theta_1 = 4$, bottom $\theta_1 = 0.25$

Gaussian processes for regression

- ▶ We consider a Gaussian process regression model (1 dimensional for simplification)
 - ▶ $y = f(x) + \epsilon$, with $x \in R^n$ and $y \in R$
 - ▶ $\epsilon \sim \mathcal{N}(0, \sigma^2)$ independently chosen for each observation accounts for the noise at each observation
 - ▶ Let us consider a set of training examples $S = \{(x^1, y^1), \dots, (x^N, y^N)\}$ from an unknown distribution
 - ▶ Let us denote $Y = (y^1, \dots, y^N)^T$ and $F = (f^1, \dots, f^N)^T$ with $f^i = f(x^i)$
 - ▶ From the definition of a Gaussian process, one assume a prior distribution over functions $f(\cdot)$. We assume a zero mean Gaussian process prior:
 - ▶ $p(F) = \mathcal{N}(0, K)$ with K a Gram matrix defined by a kernel function $K_{ij} = k(x_i, x_j)$
- ▶ We will
 - ▶ Characterize the joint distribution of $Y = (y^1, \dots, y^N)^T$
 - ▶ In order to define the predictive distribution for test points $p(y_{N+1}|Y)$

Gaussian processes for regression

Characterizing the joint distribution of $Y = (y^1, \dots, y^N)^T$

▶ The joint distribution of $Y = (y^1, \dots, y^N)^T$ is

▶ $p(Y) = \int p(Y|F)p(F)dF = \mathcal{N}(O, C)$

▶ With the covariance matrix C defined as $C(x^i, x^j) = k(x^i, x^j) + \frac{1}{\sigma^2} \delta_{ij}$

▶ δ_{ij} is the Kronecker symbol

▶ **Demonstration**

▶ We will first show $p(Y|F) = \mathcal{N}(F, \sigma^2 I_N)$

▶ $p(Y|F) = p(y^1, \dots, y^N | F)$

▶ $p(Y|F) = \prod_{i=1}^N p(y^i | f^i)$

▶ $p(Y|F) = \prod_{i=1}^N \frac{1}{\sqrt{2\pi}\sigma} \exp\left(-\frac{1}{2\sigma^2} (y^i - f^i)^2\right)$

▶ $p(Y|F) = \left(\frac{1}{2\pi\sigma^2}\right)^{N/2} \exp\left(-\frac{1}{2\sigma^2} \|Y - F\|^2\right)$

▶ $p(Y|F) = \mathcal{N}(F, \sigma^2 I_N)$

Gaussian processes for regression

Characterizing the joint distribution of $Y = (y^1, \dots, y^N)^T$

- ▶ Demonstration of $p(Y) = \int p(Y|F)p(F)df = \mathcal{N}(O, C)$
 - ▶ $p(F) = \mathcal{N}(0, K)$
 - ▶ $p(Y|F) = \mathcal{N}(F, \sigma^2 I_N)$
 - ▶ $p(Y) = \int p(Y|F)p(F)df$
 - ▶ By property (d) in Gaussian refresher we get:
 - ▶ $p(Y) = \mathcal{N}(O, \sigma^2 I_N + K) = \mathcal{N}(O, C)$
 - ▶ With $C_{ij} = k(x^i, x^j) + \sigma^2 \delta_{ij}$

Gaussian processes for regression

Predictive distribution

- ▶ For the regression, our goal is to predict the value y for a new observation x
 - ▶ Let us consider a training set $D = \{(x^i, y^i); i = 1 \dots N\}$, and denote $Y^N = (y^1, \dots, y^N)^T$, let y^{N+1} the value one wants to predict for observation x^{N+1} , $Y^{N+1} = (Y^N, y^{N+1})^T$
- ▶ Let us first explicit the joint distribution over Y^{N+1}
 - ▶ $p(Y^{N+1}) = \mathcal{N}(0, C_{N+1})$ with $C_{N+1} = \begin{pmatrix} C_N & k \\ k^T & c \end{pmatrix}$
 - ▶ C_N the covariance matrix of Y_N
 - ▶ $k \in R^N$ $k_i = k(x^i, x^{N+1}); i = 1 \dots N$
 - ▶ $c = k(x^{N+1}, x^{N+1}) + \sigma^2 \in R$
 - ▶ **Proof**
 - ▶ This is a direct application of the result shown before $p(Y) = \mathcal{N}(0, C)$

Gaussian processes for regression

Predictive distribution


- ▶ Prediction is achieved via the conditional distribution $p(y^{N+1}|Y)$
 - ▶ By definition of a Gaussian process, $p(y^{N+1}|Y, X)$ is a Gaussian.
 - ▶ Its mean and covariance are given by:
 - ▶ $m(x^{N+1}) = k^T C_N^{-1} Y$
 - ▶ $\sigma^2(x^{N+1}) = c - k^T C_N^{-1} k$
 - ▶ Proof
 - ▶ This is a direct application of property (c) (conditioning)
- ▶ Property
 - ▶ $m(x^{N+1})$ writes as $m(x^{N+1}) = \sum_{i=1}^N a_i k(x^i, x^{N+1})$
 - ▶ With a_i the i^{th} component of $C_N^{-1} Y$
- ▶ Prediction in practice
 - ▶ Given a training set of N points $S = \{(x^1, y^1), \dots, (x^N, y^N)\}$, and the specification of a kernel function $k(\cdot, \cdot)$, it is then possible to infer the posterior distribution for any new input point x^{N+1}

Gaussian processes for regression

Predictive distribution

- ▶ This means that for any new datum x^{N+1} , one can compute
 - ▶ A mean prediction $m(x^{N+1})$
 - ▶ An uncertainty associated to this prediction $\sigma^2(x^{N+1})$

Illustration of Gaussian process regression applied to the sinusoidal data set in Figure A.6 in which the three right-most data points have been omitted. The green curve shows the sinusoidal function from which the data points, shown in blue, are obtained by sampling and addition of Gaussian noise. The red line shows the mean of the Gaussian process predictive distribution, and the shaded region corresponds to plus and minus two standard deviations. Notice how the uncertainty increases in the region to the right of the data points.



Gaussian processes for regression

▶ Scaling

- ▶ The central computation in using Gaussian processes involves the inversion of an $N \times N$ matrix
- ▶ This is $O(N^3)$ with standard methods
- ▶ For each new test point, this requires a vector matrix multiply which is $O(N^2)$
- ▶ For large datasets, this is unfeasible
 - ▶ Several approximations have been proposed but this remains ill adapted to large datasets and high dimensions.

Learning hyperparameters

- ▶ The kernel functions can be chosen a priori
- ▶ Alternatively, they may be defined as parametric functions (e.g. squared exponential kernel as in the example) and the parameters may be learned e.e. by maximum likelihood
 - ▶ Log likelihood for a Gaussian process regression model
 - ▶ $\log p(Y|\theta) = -\frac{1}{2}\log|C_N| - \frac{1}{2}Y^T C_N^{-1}Y - \frac{N}{2}\log(2\pi)$
 - ▶ Training can be performed using gradient descent on the parameters θ

Gaussian processes - references

- ▶ Bishop, *Pattern Recognition and Machine Learning*, 2007
- ▶ Rasmussen, C. E., & Williams, C. K. I. (2006). *Gaussian Processes for Machine Learning*. In *MIT Press*.
- ▶ Mackay, D. J. C. *Introduction to Gaussian Processes*.



Neural Processes



Neural Process

- ▶ **Objective**
 - ▶ Learn a stochastic process, i.e. a distribution P_f over functions $f: X \rightarrow Y$, like for GPs
 - ▶ Rely on NNs for the modeling in order to get better scaling than GPs
 - ▶ Neural process corresponds to a family of methods sharing the same general idea
- ▶ **Neural processes rely on meta-learning algorithms**
 - ▶ We very briefly introduce the concept of meta-learning
 - ▶ We introduce a simple instance of neural processes: the **conditional neural process**

Informal introduction to meta-learning

▶ Task

▶ Tasks are basic concepts in meta-learning

▶ It corresponds to a problem to solve like:

- Regression given a set of points generated by an unknown function f
 - The task could be represented by a sample of points to regress (this is the example used in the presentation)
- Classification, Game playing, etc
- Note: the name task is used because in the general meta-learning framework, they could indeed correspond to different objectives with different loss functions. But in general, as it is considered here, they correspond to different instances of a same problem

▶ Meta-learning

- ▶ Assumption: availability of multiple related tasks
- ▶ Objective: learn from the set of tasks to generalize to a new related tasks

Informal introduction to meta-learning - example

- ▶ Let us consider regression tasks
 - ▶ Each regression consists in learning an estimator for an unknown function $g: X \rightarrow Y$, from a sample $\{(x^i, y^i), i = 1..N\}$ of g
 - ▶ Let P be a distribution on functions $g: X \rightarrow Y$
 - ▶ For simplicity we consider $X = Y = \mathbb{R}$
- ▶ Learning problem
 - ▶ Given a sample of functions g^k , with $g^k \sim P$, each represented by a set of points $D_k, k = 1 \dots K$
 - ▶ Learn from the D_k s a regression function $f(x; D)$ that will approximate the unknown function g from which D has been sampled, for each D_k
 - ▶ The objective is to generalize to unknown functions g not seen during training, given a sample D of the new function g

Informal introduction to meta-learning - example

- ▶ Meta learning offers several families of methods for solving this type of problem
- ▶ Example: Model Agnostic Meta Learning (MAML) (Finn et al. 2017)
 - ▶ Learn a model parameters θ (parameters of the function $f(x, D)$) from a set of tasks (e.g. multiple regressions)
 - ▶ So that for a new dataset D_k sampled from an unknown but new function g^k , θ could be rapidly adapted to D_k leading to θ_k^* (see figure) using a few gradient steps




Figure 1. Diagram of our model-agnostic meta-learning algorithm (MAML), which optimizes for a representation θ that can quickly adapt to new tasks.

- ▶ It has been used in several contexts
 - ▶ regression, classification, reinforcement learning, etc. and for several problems
- ▶ In the following we will be interested in **few shot learning** problems:
 - ▶ how to learn a new regression function from a small number of examples in D

Neural process (NP)

- ▶ Training NP relies on a meta-learning instance
- ▶ For NP, each set D representing an unknown function g will be divided in two sets:
 - ▶ A context set $C = \{(x^i, y^i), i = 1 \dots N\}$ and target set $T = \{(x^i, y^i), i = N + 1 \dots N + M\}$
 - ▶ Let us denote $X_T = \{x^i; i = N + 1 \dots N + M\}$, $Y_T = \{y^i; i = N + 1 \dots N + M\}$ the sets of inputs and outputs for the target set T
- ▶ **Objective**
 - ▶ The goal is to learn a context dependent function $f(x; C)$
 - ▶ After training, given any context set C , $f(\cdot; C)$ should be able to compute an output $f(\cdot; C)$ for each new input x
 - ▶ Training $f(\cdot; C)$ will make use of a series of tasks each represented by a dataset D^k
 - ▶ After training, for any context $C(g)$ sampled from a new unknown function g , one should be able to perform inference, i.e. computing $f(x; C(g))$ and the uncertainty associated to this prediction

Conditional Neural process

- ▶ Implementation for the Conditional Neural Process (CNP)
- ▶ f will be implemented with two components
 - ▶ An encoder Enc_{θ} and a decoder Dec_{θ}
 - ▶ Both will be implemented by neural networks
 - ▶ The encoder will encode the context C into a vector representation R
 - ▶ The decoder will compute a mean value and its associated uncertainty (like in GP) – remember we want to learn stochastic processes





Fig. Garnelo et al. 2018
In this figure, the encoder is denoted h and the decoder g , the encoding of the context is denoted r

Conditional Neural process

- ▶ More precisely, once $f(x; C)$ is learned, given any new context C_{new} and any input x that could be in C_{new} or not but sampled from the same function g_{new} , one will encode C_{new} through a vectorial representation R using the encoder Enc_f and compute via the decoder Dec_f the prediction for the input x , in our example this prediction will be the mean and variance associated to x : $Dec_f = (\mu_f(x, r), \sigma_f(x, r))$



Conditional Neural process - illustration



Gif: Garnelo

Conditional Neural process

- ▶ In the CNP

- ▶ $r = Enc_{\theta}(C) = \frac{1}{|C|} \sum_{(x^i, y^i) \in C} MLP([x^i; y^i])$
 - ▶ $[x^i; y^i]$ is the concatenation of the two vectors
- ▶ $(\mu(x), \sigma(x)) = Dec_{\theta}(x, R) = MLP([x; r])$

Conditional Neural process- Training

- ▶ We suppose available a set of tasks
 - ▶ In our example, a task will correspond to a function to be regressed, i.e. to a dataset D_k
- ▶ Meta-learning algorithm
 - ▶ Sample a task (a set) $D \sim P$
 - ▶ Split the task randomly into context and target sets $D = C \cup T$
 - ▶ Compute the predictive distribution of the outputs for the target points $p_\theta(Y_T|X_T; C)$
 - i.e. $\forall x \in T$, compute $f_\theta(x; C)$ and then $p_\theta(Y_T|X_T; C)$ for the dataset $T = \{X_T, Y_T\}$
 - ▶ Compute the loglikelihood, i.e. measure the performance of f_θ on T
 - $L = \log p_\theta(Y_T|X_T; C)$
 - ▶ Update the loglikelihood, e.g.
 - $\theta = \theta - \epsilon \nabla_\theta L$
 - ▶ Note: θ denotes the parameters of all the NNs (encoder, decoder) in the NP model.

Conditional Neural process - illustration




Fig. 3 Comparison between meta learning vs supervised learning, and modeling functions vs modeling stochastic processes. Neural Processes are in the lower-right quadrant. Dot are context points while stars are target points.

<https://yanndubs.github.io/Neural-Process-Family/text/Intro.html>

Conditional Neural process - Training

- ▶ How to compute the likelihood?
- ▶ The predictive distribution is factorized (independence assumption)
 - ▶ $p_{\theta}(Y_T|X_T; C) = \prod_{(x^i, y^i) \in T} p_{\theta}(y^i|x^i; r)$
 - ▶ $p_{\theta}(Y_T|X_T; C) = \prod_{(x^i, y^i) \in T} \mathcal{N}(y^i; \mu(x^i), \sigma(x^i))$
 - ▶ With
 - ▶ $r = Enc_{\theta}(C)$ Encoding
 - ▶ $(\mu(x^i), \sigma(x^i)) = Dec_{\theta}(x^i, r)$ Decoding
- ▶ Note: most often, the log likelihood is optimized on the whole dataset
- ▶ $L = \log p_{\theta}(Y_D|X_D; C)$ instead of $L = \log p_{\theta}(Y_T|X_T; C)$
 - ▶ i.e. the log likelihood is evaluated onto the whole dataset $D = C \cup T$ instead of onto T only

Conditional Neural process

- ▶ The context set C is treated as a set, i.e. the order of the elements in the context set does not influence the predictor
 - ▶ i.e. the predictor should be permutation invariant: $p_{\theta}(Y_T|X_T; C) = p_{\theta}(Y_T|X_T; \pi(C))$ for a permutation π
- ▶ Weaknesses
 - ▶ CNP are known to underfit

Conditional Neural process - Examples

- ▶ Regression (Garnelo et al. 2018)
- ▶ A task corresponds to a curve




Figure 2. 1-D Regression. Regression results on a 1-D curve (black line) using 5 (left column) and 50 (right column) context points (black dots). The first two rows show the predicted mean and variance for the regression of a single underlying kernel for GPs (red) and CNPs (blue). The bottom row shows the predictions of CNPs for a curve with switching kernel parameters.

Neural process – Examples (Garnelo 2018 Neural Processes)

- ▶ Regression: pixelwise prediction- a task corresponds to an image




Figure 4. Pixel-wise regression on MNIST and CelebA The diagram on the left visualises how pixel-wise image completion can be framed as a 2-D regression task where $f(\text{pixel coordinates}) = \text{pixel brightness}$. The figures to the right of the diagram show the results on image completion for MNIST and CelebA. The images on the top correspond to the context points provided to the model. For better clarity the unobserved pixels have been coloured blue for the MNIST images and white for CelebA. Each of the rows corresponds to a different sample given the context points. As the number of context points increases the predicted pixels get closer to the underlying ones and the variance across samples decreases.

Neural process - references

- ▶ Garnelo, M., Rosenbaum, D., Maddison, C. J., Ramalho, T., Saxton, D., Shanahan, M., Teh, Y. W., Rezende, D. J., & Ali Eslami, S. M. (2018). Conditional neural processes. *ICML*, 1704–1713.
- ▶ Garnelo, M., Schwarz, J., Rosenbaum, D., Viola, F., Rezende, D. J., Ali Eslami, S. M., & Teh, Y. W. (2018). Neural processes. *ArXiv*.
- ▶ See also
- ▶ J. Gordon, *Advances in Probabilistic Meta-Learning and the Neural Process Family*, PhD thesis, 2020
- ▶ <https://yanndubs.github.io/Neural-Process-Family/text/Intro.html>